



<http://ir4.rutgers.edu/Ornamental/ornamentalSummaryReports.cfm>

IR-4 Ornamental Horticulture Program Azoxystrobin + Difenoconazole Crop Safety

**Authors: Ely Vea and Cristi L. Palmer
Date: August 18, 2016**

**Acknowledgements
Susan Bierbrunner
Diane Infante**

This material is based upon work that is supported by the National Institute of Food and Agriculture, U.S. Department of Agriculture, under award number 2015-34383-23710 with substantial cooperation and support from the State Agricultural Experiment Stations and USDA-ARS.

Table of Contents

Table of Contents	2
Table of Tables	3
Abstract	4
Introduction.....	5
Materials and Methods.....	5
Results and Summary	5
Phytotoxicity	5
Label Suggestions	10
Appendix 1: Contributing Researchers	11

Table of Tables

Table 1.	List of Azoxystrobin + Difenoconazole treated crops with no or minimal transitory injury.....	6
Table 2.	List of Azoxystrobin + Difenoconazole treated crops with no injury at 1X but significant injury at 2X or 4X.	6
Table 3.	List of Azoxystrobin + Difenoconazole treated crops with significant injury at 1X.....	6
Table 4.	List of Azoxystrobin + Difenoconazole treated crops where more information is needed.....	6
Table 5	Detailed Summary of Crop Safety Testing with Azoxystrobin + Difenoconazole	7

Abstract

Alibi Flora (azoxystrobin + difenoconazole) was registered on January 12, 2015 for use on ornamental horticulture crops and landscape ornamental horticulture plants in the United States to manage foliar, stem and crown diseases. During 2014 and 2015, the IR-4 Project conducted 34 trials on 12 ornamental plant species / genera examining phytotoxicity related to Alibi Flora applications. The data contained in this report were generated to register uses of azoxystrobin + difenoconazole for use on ornamental horticulture plants. The rates tested were 8 (1X), 14 (2X) and 28 (4X) fl oz per 100 gal.

Alibi Flora was applied to twelve (12) plant species or genera. Seven exhibited no or minimal transient injury in at least 3 trials, and two of these (*Buddleia davidii* and *Dianthus* spp.) are already in the Alibi Flora label. Five species or genera exhibited no injury in one or two trials; all of them are already in the label. Five additional species can be considered for labelling: *Aquilegia* spp., *Calibrachoa* spp., *Lavandula* spp., *Monarda didyma* and *Osteospermum* sp.

Introduction

Alibi Flora (azoxystrobin + difenoconazole) was registered on January 12, 2015 for use on ornamental horticulture crops and landscape ornamental horticulture plants in the United States to manage foliar, stem and crown diseases. During 2014 and 2015, the IR-4 Project conducted 34 trials on 12 ornamental plant species / genera examining phytotoxicity related to Alibi Flora applications.

Materials and Methods

Azoxystrobin + difenoconazole was tested as foliar treatment typically three times at approximately 14 days intervals. The foliar application rates were typically 8, 14 and 28 fl oz per 100 gal, plus a water treated control. A minimum of three plants (replicate treatments) were required with most researchers exceeding this minimum. Phytotoxicity was recorded on a scale of 0 to 10 (0 = No phytotoxicity; 10 = Complete kill) one to four times from 1 to 6 weeks after initial application. For IR-4 testing, the following protocols were used: 14-008 and 15-008. For more detailed materials and methods, including application rates for various products, please visit <http://ir4.rutgers.edu/ornamental/OrnamentalDrafts.cfm> to view and download these protocols.

Azoxystrobin + difenoconazole was supplied to researchers (See list of researchers in Appendix 1) by BASF.

Results and Summary

Phytotoxicity

Based on the type and nature of injury seen with pesticide applications, tested plant species were placed into four categories: 1) no significant phytotoxicity or growth differences from the untreated check or any injury was transitory, 2) no or minimal transitory injury seen at the 1X rate, but the 2X and/or 4X rates did cause significant phytotoxicity, 3) significant injury sufficient to recommend growers not utilize azoxystrobin + difenoconazole, and 4) more data are needed to make informed recommendations.

Please see Table 5 for a summary of the individual trial results.

Table 1. List of Azoxystrobin + Difenoconazole treated crops with no or minimal transitory injury.

Aquilegia spp.
*Buddleia davidii*¹
Calibrachoa spp.
*Dianthus spp.*¹
Lavandula spp.
Monarda didyma
Osteospermum sp.

¹ Already registered for Alibi Flora.

Table 2. List of Azoxystrobin + Difenoconazole treated crops with no injury at 1X but significant injury at 2X or 4X.

None

Table 3. List of Azoxystrobin + Difenoconazole treated crops with significant injury at 1X.

None

Table 4. List of Azoxystrobin + Difenoconazole treated crops where more information is needed.

<i>Aster sp.</i> ¹	<i>Phlox paniculata</i> ¹
<i>Ceanothus americanus</i> ¹	<i>Zinnia sp.</i> ¹
<i>Hydrangea spp.</i> ¹	

¹ Already registered for Alibi Flora. The one or two trials presented here indicate no phytotoxicity or slight, transient injury.

Table 5 Detailed Summary of Crop Safety Testing with Azoxystrobin + Difenoconazole

Notes: Table entries are sorted by crop Latin name. Only those trials with research reports received by 8/19/2016 are listed below.

PR#	Product (Active Ingredients)	Crop	Production Site	Researcher	State	Year	Application Type	Results
31739	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Columbine (Aquilegia sp.)	Field Container	Grunwald	OR	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal; all plants saleable.
31739	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Columbine (Aquilegia sp.) A, chrysantha 'Yellow Queen'	Field Container	DeFrancesco	OR	2015	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times biweekly.
31739	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Columbine (Aquilegia sp.) A. canadensis 'Little Lanterns'	Field Container	Catlin	NY	2014	Foliar	No injury or significant growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times; very slight spray residue after 3rd application.
31740	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Aster (Aster sp.) 'Believe Purple'	Field Container	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times.
31740	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Aster (Aster sp.) 'Wood Pink'	Field Container	Gu (TX A&M)	TX	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times.
31741	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Butterfly Bush (Buddleia davidii)	Field Container	Grunwald	OR	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal; all plants saleable.
31741	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Butterfly Bush (Buddleia davidii)	Field Container	Harvey	WA	2014	Foliar	No injury with 8, 14 and 28 oz per 100 gal applied 3 times.
31741	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Butterfly Bush (Buddleia davidii) 'Royal Red'	Field Container	Fraelich	GA	2014	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31705	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Calibrachoa (Calibrachoa sp.)	Greenhouse	Koivunen	CA	2015	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31705	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Calibrachoa (Calibrachoa sp.)	Greenhouse	Williams	IL	2013	Drench	No injury or growth reduction with 7, 14 and 28 oz per 100 gal applied 3 times at monthly intervals; moderate growth reduction.
31705	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Calibrachoa (Calibrachoa sp.)	Greenhouse	Williams	IL	2013	Foliar	No injury or growth reduction with 7, 14 and 28 oz per 100 gal applied 3 times at monthly intervals.

31705	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Calibrachoa (Calibrachoa sp.) 'Superbells® Strawberry Punch' and 'Superbells® Che	Greenhouse	Wick	MA	2015	Foliar	No injury to 3 cultivars with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31705	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Calibrachoa (Calibrachoa sp.) 'Cabaret Purple'	Greenhouse	Williams-Woodward	GA	2013	Foliar	No significant injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31705	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Calibrachoa (Calibrachoa sp.) 'Kabloom White'	Greenhouse	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times.
31742	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Ceanothus sp. (Ceanothus sp.) C. americanus	Field Container	Brazee	MA	2015	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31743	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Pinks (Dianthus sp.)	Field Container	Grunwald	OR	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal; all plants saleable.
31743	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Pinks (Dianthus sp.) D. chinensis 'First Love'	Field Container	DeFrancesco	OR	2014	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31743	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Pinks (Dianthus sp.) D. gratianopolitanus 'Firewitch'	Field Container	Hausbeck	MI	2014	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times; visible spray residue on treated plants.
31743	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Pinks (Dianthus sp.) 'Neon Star'	Field Container	Hand	OH	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times.
31744	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Hydrangea (Hydrangea sp.)	Field Container	Harvey	WA	2014	Foliar	No injury with 8, 14 and 28 oz per 100 gal applied 3 times.
31744	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Hydrangea (Hydrangea sp.) H. macrophylla 'Nikko Blue'	Field Container	Henn	MS	2014	Foliar	No injury or significant growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times.
31750	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Lavender (Lavandula sp.)	Field Container	Grunwald	OR	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal; all plants saleable.
31750	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Lavender (Lavandula sp.)	Field Container	Harvey	WA	2014	Foliar	No injury with 8, 14 and 28 oz per 100 gal applied 3 times.
31750	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Lavender (Lavandula sp.) L. angustifolia 'Munstead'	Field Container	Hand	OH	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times.
31750	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Lavender (Lavandula sp.) L. angustifolia 'Munstead'	Field Container	Hausbeck	MI	2014	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times.

31750	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Lavender (<i>Lavandula</i> sp.) <i>L. x intermedia</i> 'Grosso'	Field Container	DeFrancesco	OR	2014	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31746	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Bee Balm (<i>Monarda didyma</i>)	Field Container	Grunwald	OR	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal; all plants saleable.
31746	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Bee Balm (<i>Monarda didyma</i>) 'Marshal's Delight'	Field Container	DeFrancesco	OR	2014	Foliar	No injury or growth reduction with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31746	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Bee Balm (<i>Monarda didyma</i>) 'Pink Supreme'	Field Container	Gu (TX A&M)	TX	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times.
31886	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	African Daisy (<i>Osteospermum</i> sp.)	Greenhouse	Williams	IL	2013	Foliar	No injury or growth reduction with 7, 14 and 28 oz per 100 gal applied 3 times at monthly intervals.
31886	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	African Daisy (<i>Osteospermum</i> sp.) 'Zion Orange', 'Ostica Pink', and 'Flower Power Ye'	Greenhouse	Wick	MA	2015	Foliar	No injury to 3 cultivars with 8, 14 and 28 fl oz per 100 gal applied 3 times.
31886	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	African Daisy (<i>Osteospermum</i> sp.) 'White With Purple Eye'	Greenhouse	Freiberger	NJ	2014	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times; earlier blooming at all rates.
31747	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Phlox, Perennial (<i>Phlox paniculata</i>)	Field Container	Harvey	WA	2014	Foliar	No injury with 8, 14 and 28 oz per 100 gal applied 3 times.
32218	Alibi Flora (A13703G) SC (Azoxystrobin + difenoconazole)	Zinnia (<i>Zinnia</i> sp.) 'Zahara Double Cherry'	Greenhouse	Freiberger	NJ	2015	Foliar	No injury or growth reduction with 8, 14 and 28 oz per 100 gal applied 3 times.

Label Suggestions

In this report, 7 species / genera exhibited no or minimal injury after foliar sprays of Alibi Flora; two of these are already in the label. We recommend that the following 5 species / genera be added to the current label.

Aquilegia spp.

Calibrachoa spp.

Lavandula spp.

Monarda didyma

Osteospermum sp.

Appendix 1: Contributing Researchers

Dr. Nicholas Brazee	University of Massachusetts Plant Diagnostic Laboratory 101 University Drive, Suite A7 Amherst MA 01002
Dr. Nora Catlin	Cornell University Cooperative Extension 423 Griffing Avenue Riverhead NY 11901
Mr. Joe DeFrancesco	Oregon State University 2040 Cordley Hall Corvallis, OR 97331
Mr. Ben Fraelich	USDA-ARS CPES P.O. Box 728 Tifton, GA 31793
Mr. Tom Freiburger	Rutgers University 283 Route 539 Cream Ridge, NJ
Dr. Nik Grunwald	Horticultural Crops Research Lab USDA-ARS 3420 NW Orchard Ave. Corvallis, OR 97330
Dr. Mengmeng Gu	Texas AgriLife Extension Service Department of Horticulture Sciences 2134 TAMU College Station TX 77843
Dr. Francesca Hand	Ohio State University Department of Plant Pathology 475C Kottman Hall Columbus, OH 43210
Mr. Paul Harvey	USDA-ARS 4230 Konnawac Pass Road Wapato, WA, 98941

Dr. Mary Hausbeck	Michigan State University Dept. of Plant Pathology 140 Plant Pathology Building East Lansing, MI 48824
Dr. Alan Henn	Mississippi State University Biochemistry, Molecular Biology, Entomology and Plant Pathology 32 Creelman Street Mississippi State, MS 39762
Dr. Marja Koivunen	California State University, Chico College of Agriculture 400 West First Street Chico CA 95929
Dr. Rob Wick	University of Massachusetts Dept. of Plant, Soil and Insect Sciences 109 Fernald Hall Amherst, MA 01003
Dr. David Williams	University of Illinois PSL 1201 S. Dorner Urbana IL 61801
Dr. Jean Williams-Woodward	University of Georgia Department of Plant Pathology 3313 Miller Plant Sci. Bldg. Athens, GA 30602